

## **8. REFERENCES**

- Abbott, C.C. 1994. The effects of watershed acidification on mercury uptake in Brook Trout (*Salvelinus fontinalis*). M.S. thesis. University of Maine. Orono. 56 pp.
- Adamus, P.R., H.L. Brown, and P.C. Leeper. 1986. Impacts of forest practices on stream ecosystems and wetlands. Maine Agricultural Experiment Station Misc. Publication 689: 91-106.
- Akielaszek, J.J. and T.A. Haines. 1981. Mercury in the muscle tissue of fish from three northern Maine lakes. *Bulletin of Environmental Contamination and Toxicology* 27: 201-208.
- Alexander, C.P. 1962. The crane flies of Maine. Maine Life Sciences and Agriculture Experiment Station, University of Maine. Orono. 24 pp.
- Allen, A.P., T.R. Whittier, D.P. Larsen, P.R. Kaufmann, R.J. O'Connor, R.M. Hughes, R.S. Stemberger, S.S. Dixit, R.O. Brinkhurst, A.T. Herlihy, and S.G. Paulsen. 1999. Concordance of taxonomic composition patterns across multiple lake assemblages: effects of scale, body size, and land use. *Canadian Journal of Fisheries and Aquatic Science* 56: 2029-2040.
- Andrews, P.S. 1972. Maine forage crustacean study. Job Progress Report, Project # R-23-R-3. Maine Department of Fish and Game. 2 pp.
- Angermeier, P.L. and I.J. Schlosser. 1989. Species-area relationships for stream fishes. *Ecology* 70(5): 1450-1462.
- Anderson, M., P. Bourgeron, M.T. Bryer, R. Crawford, D. Faber-Langendoen, K. Goodin, D.H. Grossman, S. Landaal, K. Metzler, K.D. Patterson, M. Pyne, M. Reid, L. Sneddon, and A.W. Weakley. 1998. *International Classification of Ecological Communities: Terrestrial Vegetation of the United States. Volume II: List of Vegetation Units.* The Nature Conservancy, Arlington VA.
- Arter, B. 2003. Narraguagus River watershed nonpoint source pollution management plan. Report prepared for Narraguagus River Watershed Council, in partnership with Project SHARE. BSA Environmental Consulting. 80 pp. + app.
- ASMFC. 2000. Interstate fishery management plan for American eel. Fishery Management Report No. 36, Atlantic States Marine Fisheries Commission. 79 pp.
- Baker, C. 2004. Atlas of surveyed road crossings in the Kenduskeag Stream subdrainage. U.S. Fish and Wildlife Service report, Maine Fishery Resources Office, East Orland, Maine. 75 pp.
- Bank, M.S., C.S. Loftin and R.E. Jung. 2005. Mercury bioaccumulation in two-lined salamanders from streams in northeastern United States. *Ecotoxicology* 14: 181-191.
- Bauer, L.S.. 1977. The black flies (Diptera: Simuliidae) of the Piscataquis river watershed, Maine. M.S. thesis. University of Maine. Orono. 43 pp.
- Bauer, L.S. and J. Granett. 1979. The blackflies of Maine. Maine Agriculture Experiment Station, University of Maine. Orono. 18 pp.
- Baum, E.T. 1982a. Saint John River watershed. Atlantic Sea Run Salmon Commission, Bangor, Maine. 60 pp.
- Baum, E.T. 1982b. The Union River and minor coastal drainages east of the Penobscot. Atlantic Sea Run Salmon Commission. Bangor, Maine. 60 pp.

- Baum, E.T. 1983. The Penobscot River. Atlantic Sea Run Salmon Commission, Bangor, Maine. 67 pp.
- Baum, E.T. 1997. Maine Atlantic Salmon: A National Treasure. Atlantic Salmon Unlimited, Hermon, Maine. 224 pp.
- Baum, E.T. and R.M. Jordan. 1982. The Narraguagus River. Atlantic Sea Run Salmon Commission. Bangor, Maine. 69 pp.
- Batchelder, C.H. 1927. Inland fishes of the eastern part of Mount Desert Island, Maine. *Ecology* 8: 327-332.
- Bean, J.L. 1946. A preliminary list of the mosquitoes of Maine (Culicidae: Diptera). *Canadian Entomologist* 78: 25-28.
- Beland, K.F., J.S. Fletcher and A.L. Meister. 1982. The Dennys River. Atlantic Sea Run Salmon Commission. Bangor, Maine. 40 pp.
- Bendell, B.E. and D.K. McNicol. 1987. Fish predation, lake acidity and the composition of aquatic insect assemblages. *Hydrobiologia* 150: 193-202.
- Bernatchez, L. and C.C. Wilson. 1998. Comparative phylogeography of Nearctic and Palearctic fishes. *Molecular Biology* 7: 431-452.
- Bishop, S.C. and N.T. Clarke. 1923. A scientific survey of Turners lake, Isle-au-Haut, Maine. New York State Museum, Albany, New York. 29 pp.
- Blickle, R.L. 1964. Hydroptilidae (Trichoptera) of Maine. *Entomological News* June LXXV: 159-162.
- Blickle, R.L. and W.J. Morse. 1966. The caddisflies (Trichoptera) of Maine, excepting the family Hydroptilidae. Maine Agricultural Experiment Station Technical Bulletin T-24, University of Maine, Orono.
- Bogan, A.E. 1993. Freshwater bivalve extinctions (Mollusca: Unionidae): a search for causes. *American Zoologist* 33: 599-609.
- Bonney, F. R. 2005. Maine Brook Trout: Biology, Conservation, Management. University of Maine Press, in press.
- Boobar, L.R. 1979. Habitat distribution and evaluation of sampling methods for *Simulium penobscotensis* (Diptera: Simuliidae). MS thesis. University of Maine, Orono. 39 pp.
- Boobar, L.R. 1997. Effects of landscape on macroinvertebrate assemblages in beaver-mediated wetlands, Aroostook County, Maine. Ph.D. thesis. University of Maine. Orono, Maine. 454 pp.
- Boobar, L.R., P.J. Spangler, K.E. Gibbs, J. Longcore, and K.M. Hopkins. 1998. Predaceous diving beetles in Maine: faunal list and keys to subfamilies. *Northeastern Naturalist* 5(1): 1-20.
- Bond, L.H. and S.E. DeRoche. 1950. A preliminary survey of man-made obstructions and logging practices in relation to certain salmonid fishes of Northern Maine. Maine Department of Inland Fisheries and Game. 47 pp.
- Borror, D.J. 1944. An annotated list of the Odonata of Maine. *Canadian Entomologist* 76: 134-150.

- Bouchard, R. Undated. The costs of invasives. On-line article, Maine Dept. of Environmental Protection. <http://mainegov-images.informe.org/dep/blwq/topic/invasives/invcost.pdf>
- Bowes, K., J. Le, and J.R. Moring. 1999. Fishes and other aquatic resources of Acadia National Park. Maine Cooperative Fish and Wildlife Research Unit, U.S. Geological Survey, University of Maine. Orono, Maine 04469. 120 pp.
- Boyer, R.J. 1989. Human nuisance black flies (Diptera: Simuliidae) of the Penobscot River, Maine. MS thesis, University of Maine Orono.
- Brett, M.T. 1985. Zooplankton and nekton community structure in lakes of varying pH in Maine. M.S. thesis, University of Maine, Orono. 44 pp.
- Brinkhurst, R.O. and S.R. Gelder. 1991. Annelida: Oligochaeta and Branchiobdellida. Pages 401-435 in: Thorp, J.H. and A.P. Covich (eds.). Ecology and Classification of North American Freshwater Invertebrates. Academic Press, Inc. 911 pp.
- Briggs, R.D. and R.C. Lemin. 1992. Delineation of climatic regions in Maine. Canadian Journal of Forest Research 22: 801-811.
- Brower, Auburn E.. 1983. A list of the lepidoptera of Maine. Part 2: The microlepidoptera. Section 1: Limacodidae through Cossidae. Maine Agricultural Experiment Station Technical Bulletin 109. University of Maine. Orono. 60 pp.
- Brown, Ryan H. 1998. Abundance and distribution of *Mysis relicta* in Moosehead Lake, Maine. Fishery Progress Report Series No. 98-2. Maine Department of Inland Fisheries and Wildlife. 37 pp.
- Brunelle, P.M. 1999. Distribution of damselflies and dragonflies (Odonata) of Maine, United States. Northeastern Naturalist 6(2): 95-118.
- Burgess, J.R. 1997. Mercury contamination in fishes of Mount Desert Island and a comparative food chain mercury study. M.S. thesis. University of Maine. Orono. 60 pp.
- Burian, S.K. 1990. The mayflies (Ephemeroptera) of Maine: a faunal survey, Part 1, and taxonomy of the Leptophlebiidae, Potamanthidae, Polymitarcyidae, and Ephemeridae, Part 2. Ph.D. dissertation, University of Maine, Orono. 409 pp.
- Burian, S.K. and K.E. Gibbs. 1991. Mayflies of Maine: An Annotated Faunal List. Technical Bulletin 144. Maine Agricultural Experiment Station, University of Maine, Orono. 109 pp.
- Burian, Steven K., K. Blackburn, and L. Juentes-Molack. 1995. An update on the occurrence of three species of mayflies (Ephemeroptera) in Maine. Maine Naturalist 3(1): 49-54.
- Cameron, D. 2000. Aquatic vegetation survey for selected Maine lakes. Maine Natural Areas Program, Department of Conservation. Augusta. 134 pp.
- Campbell, C.S., H.P. Adams, P. Adams, A.C. Dibble, L.M. Eastman, S.C. Gawler, L.L. Gregory, B.A. Grunden, A.D. Haines, K. Jonson, S.C. Rooney, T.F. Vining, J.E. Weber, and W.A. Wright. 1995. Checklist of the vascular plants of Maine. 3<sup>rd</sup> revision. Maine Agricultural and Forest Experiment Station Bulletin 844. University of Maine, Orono. 100 pp.
- Castric, V., F. Bonney and L. Bernatchez. 2001. Landscape structure and hierarchical genetic diversity in the brook charr, *Salvelinus fontinalis*. Evolution 55(5): 1016-1028.

- Chandler, M. and J. Loose. 2001. Draft checklist of the aquatic macroinvertebrates of Massachusetts and adjoining states. Massachusetts Division of Fisheries and Wildlife, Natural Heritage and Endangered Species Program.
- Crow, G.E. and C.B. Hellquist. 2000. Aquatic and Wetland Plants of Northeastern North America. University of Wisconsin Press. 2 volumes.
- Conan, D.R. 1981. The native mammals, reptiles and amphibians of Mount Desert Island, Maine. Parkman Press, Bar Harbor. 30 pp.
- Cooper, G.P. 1939. A biological survey of thirty-one lakes and ponds of the upper Saco river and Sebago lake drainage systems in Maine. Maine Department of Inland Fisheries and Game.
- Cooper, G.P. 1940. A biological survey of the Rangeley lakes, with special reference to the trout and salmon. Maine Department of Inland Fisheries and Game.
- Cooper, G.P. 1941. A biological survey of lakes and ponds of the Androscoggin and Kennebec river drainage systems in Maine. Maine Department of Inland Fisheries and Game.
- Cooper, G.P. 1942. A biological survey of lakes and ponds of the central coast area of Maine. Maine Department of Inland Fisheries and Game.
- Cooper, G.P. and J.L. Fuller. 1945. A biological survey of Moosehead Lake and Haymcock Lake, Maine. Maine Department of Inland Fisheries and Game.
- Courtemanch, D.L. 1982. Relationships between profundal chironomid communities, water quality, and the lake classification system in Maine. M.S. thesis. University of Maine, Orono. 46 pages.
- Courtemanch, D.L. 1993. Instream biological information in water quality management: criteria development and policy formulation. Ph.D. dissertation, University of Maine, Orono.
- Courtemanch, D.L. and S.P. Davies. ms. Early changes in the macroinvertebrate community of the Kennebec River, Maine, following removal of the Edwards Dam. Unpublished manuscript.
- Courtemanch, D.L., S.P. Davies and E.B. Laverty. 1989. Incorporation of biological information in water quality planning. *Environmental Management* 13: 35-41.
- Crocker, D.W. 1979. The crayfishes of New England. *Proceedings of the Biological Society of Washington* 92(2): 225-252.
- Cunningham, J. 2003. Pond-breeding amphibian species distributions in a beaver-modified landscape, Acadia National Park, Mount Desert Island, Maine. M.S. thesis, University of Maine, Orono.
- Davies, R.W. 1991. Annelida: Leeches, Polychaetes, and Acanthodbdellids. Pages 437-497 in: Thorp, J.H. and A.P. Covich (eds.). *Ecology and Classification of North American Freshwater Invertebrates*. Academic Press, Inc. 911 pp.
- Davies, S.P. 1987. Benthic macroinvertebrate community response to pollution abatement in the Penobscot River, Maine. M.S. thesis. University of Maine, Orono. 83 pp.
- Davies, S.P. and S.K. Jackson. In press (2005). The biological condition gradient: a conceptual model for interpreting detrimental change in aquatic ecosystems. *Ecological Applications*.

- Davies, S.P., L. Tsomides, J.L. DiFranco and D.L. Courtemanch. 1999. Biomonitoring retrospective: fifteen year summary for Maine rivers and streams. Maine Department of Environmental Protection, Bureau of Land and Water Quality, Augusta, Maine. 190 pp.
- Davies, S.P., D. Drummond, D.L. Courtemanch and L. Tsomides. Submitted. Probabilistic models based on expert judgement protocols to assess attainment of tiered aquatic life uses. Submitted to Maine Agricultural Experiment Station Bulletin, University of Maine, Orono.
- Davis, R.B., J.H. Bailey, M. Scott, G. Hunt and S.A. Norton. 1978. Descriptive and comparative studies of Maine lakes. Life Sciences and Agriculture Experiment Station, University of Maine. Orono. 337 pp.
- Davis, S.L. 1958. Notes on the amphibian in Acadia National Park, Maine. M.S. thesis, Cornell University, Ithaca, New York. 48 pp.
- Dearborn, R.G. and C.P. Donahue. 1993. The Forest Insect Survey of Maine: Order Coleoptera. Maine Forest Service, Insect and Disease Division, Technical Report No. 32. 102 pp.
- DeMaynadier, P.G. and M.L. Hunter. 1996. The relationship between forest management and amphibian ecology: a review of the North American literature. *Environmental Reviews* 3: 230-261.
- DeMaynadier, P. and M.L. Hunter. 1999. Forest canopy closure and juvenile emigration by pool-breeding amphibians in Maine. *Journal of Wildlife Management* 63(2): 441-450.
- DeMaynadier, P.G. and M.L. Hunter. 2000. Road effects on amphibian movements in a forested landscape. *Natural Areas Journal* 20(1): 56-65.
- DeRoche, S.E. 1967. Fishery management in the Androscoggin River. Maine Department of Inland Fisheries and Game. 52 pp.
- DeSandre, R.A., C.F. Ritzi, and W.L. Woodward. 1977. Rangeley Lake fishery management. Maine Department of Inland Fisheries and Wildlife, Fisheries Research Bulletin No. 10. 64 pp.
- Dieffenbacher-Krall, A.C. 1998. Aquatic plants in quaternary science. Ph.D. thesis. University of Maine, Orono. 205 pages.
- Dill, R., C. Fay, M. Gallagher, D. Kircheis, S. Mierzykowski, M. Whiting and T. Haines. 2003. Water quality issues as potential limiting factors affecting juvenile Atlantic salmon life stages in Maine rivers. Report to the Maine Atlantic Salmon Commission Technical Advisory Committee. 29 pp.
- Drake, D.C. and R.J. Naiman. 2000. An evaluation of restoration efforts in fishless lakes stocked with exotic trout. *Conservation Biology* 14: 1807-1820.
- Dube, N.R. 1983. The Saco River. Atlantic Sea-Run Salmon Commission. Bangor, Maine. 29 pp.
- Dynes, J., P. Magnan, L. Bernatchez and M.A. Rodriguez. 1999. Genetic and morphological variations between two forms of lacustrine brook charr. *Journal of Fisheries Biology* 54: 955-972.
- Eco-Analysts, Inc. 1999. Kennebec fish community and tributary investigations, Harris Dam to Wyman Lake, 1999. Report submitted to FPL Energy Maine Hydro LLC, by Eco-Analysts, Inc. Bath, Maine. 21 pp. + app.

- Edmunds, G.F., S.L. Jensen, and L. Berner. 1976. The Mayflies of North and Central America. University of Minnesota Press, Minneapolis. 330 pp.
- Elder, B. 1987. Inventory of existing and former dam sites in Maine. State of Maine Executive Department, Office of Energy Resources. 29 pp.
- Emmons, E.E., M.J. Jennings and C. Edwards. 1999. An alternative classification method for northern Wisconsin lakes. Canadian Journal of Fisheries and Aquatic Sciences 56: 661-669.
- Everhart, W.H. 1966. Fishes of Maine. 3<sup>rd</sup> edition. Maine Department of Fish and Game, Augusta, Maine. 96 pp.
- Evers, D.C. 2005. Mercury connections: the extent and effects of mercury pollution in northeastern North America. Biodiversity Research Institute, Gorham, Maine. 28 pp.
- Fenderson, O.C. 1964. Evidence of subpopulations of lake whitefish, *Coregonus clupeaformis*, involving a dwarfed form. Transactions of the American Fisheries Society 93: 77-94.
- Fisher, R.A., A.S. Corbet, and C.B. Williams. 1943. The relation between the number of species and the number of individuals in a random sample of a animal population. Journal of Animal Ecology 12: 42-58.
- Flagg, L.N. 1972. The anadromous smelt fishery of Maine. National Fisherman, Research Bulletin #33, June 1972. 42 pp.
- Fletcher, J.S. and A.L. Meister. 1982. The St. Croix River. Atlantic Sea Run Salmon Commission. Bangor, Maine.
- Fletcher, J.S., R.M. Jordan, and K.F. Beland. 1982. The Machias River. Atlantic Sea Run Salmon Commission. Bangor, Maine. 68 pp.
- Foulis, D.B. and R.W. Tiner. 1994. Wetland trends for selected areas of the Casco Bay Estuary and the Gulf of Maine (1974-77 to 1984-87). U.S. Fish and Wildlife Service, Hadley, MA. Ecological Services Report R5-94/1. 15 pp.
- Foulis, D.B., J.A. Eaton and R.W. Tiner. 1994. Foulis, D.B., J.A. Eaton and R.W. Tiner. 1994. Wetland trends for selected areas of the Gulf of Maine, from York, Maine to Rowley, Massachusetts (1977 to 1985-86). U.S. Fish and Wildlife Service, Hadley, MA. Ecological Services Report R5-94/4. 14 pp.
- Foss, K.A. and R.G. Dearborn. 2002. Preliminary survey of mosquito species (Diptera: Culicidae) with a focus on larval habitats in Androscoggin County and additional larval data for Portland, Maine during 2002. Technical Report No. 44. Maine Forest Service, Forest Health and Monitoring Division. 43 pp.
- Foss, K.A. and R.G. Dearborn. 2003. Mosquito species occurring in Maine. On-line list published at: [www.state.me.us/doc/mfs/mosquito2.htm](http://www.state.me.us/doc/mfs/mosquito2.htm). List revised May 2003. Site last accessed March 2005.
- Foye, R.E., C.F. Ritzi and R.P. AuClair. 1969. Fish management in the Kennebec River. Maine Department of Inland Fisheries and Game. 67 pp.
- Frost, T.M. 1991. Porifera. Pages 95-124 in: Thorp, J.H. and A.P. Covich (eds.). Ecology and Classification of North American Freshwater Invertebrates. Academic Press, Inc. 911 pp.

Fuller, J.L. and G.P. Cooper. 1946. A biological survey of the lakes and ponds of Mount Desert Island, and the Union and Lower Penobscot river drainage systems. Maine Department of Inland Fisheries and Game.

Fuller, P.L., L.G. Nico, and J.D. Williams. 1999. Nonindigenous Fishes Introduced into Inland Waters of the United States. American Fisheries Society, Special Publication 27, Bethesda, Maryland. 613 pp.

Funk, W.C. and W.W. Dunlap. 1999. Colonization of high-elevation lakes by long-toed salamanders (*Ambystoma macrodactylum*) after the extinction of introduced trout populations.

Gaenzle, E. 2002. Relationships between stream geomorphology and fish community structure and diversity in Maine. M.S. thesis, University of Maine, Orono. 60 pp.

Gallagher, M. 1998. The status of redfin pickerel (*Esox americanus americanus*, Gmelin) in Maine. M.S. thesis. University of Maine, Orono. 56 pp.

Garman, Gregory C. 1984. Initial effects of deforestation on community structure and function of the East Branch Piscataquis River, Maine. Ph.D. thesis. University of Maine. Orono, Maine. 104 pp.

Garman, G.C. and J.R. Moring. 1991. Initial effects of deforestation on physical characteristics of a boreal river. *Hydrobiologia* 209: 29-37.

Gaston, K.J. and A.S.L. Rodrigues. 2003. Reserve selection in regions with poor biological data. *Conservation Biology* 17(1): 188-195.

Gately, G.F. 1978. Competition for food between landlocked smelt (*Osmerus mordax*) and landlocked alewives (*Alosa pseudoharengus*) in Echo Lake, Maine. M.S. thesis. University of Maine, Orono. 94 pp.

Gawler, S.C. 2001. Natural landscapes of Maine: a classification of vegetated natural communities and ecosystems. Maine Natural Areas Program, Augusta, Maine. 79 pp.

Gawler, S.C., J.J. Albright, P.D. Vickery and F.C. Smith. 1996. Biological Diversity in Maine. Vol. 1: 80 pp. Vol. 2 (appendices): 170 pp.

Gelder, S.R., H.C. Carter and D.N. Lausier. 2001. Distribution of crayfish worms or branchiobdellidians (Annelida: Clitellata) in New England. *Northeastern Naturalist* 8(1): 79-92.

Gibbs, K.E. 1993. Life history, status, and conservation of the mayfly, *Siphonisca aerodromia* Needham. *Maine Naturalist* 1(3): 121-130.

Gibbs, K.E. and M. Siebenmann. 1996. Life history attributes of the rare mayfly *Siphonisca aerodromia* Needham (Ephemeroptera: Siphonuridae). *Journal of the North American Benthological Society* 15: 95-105.

Gibbs, K.E., B. Bradeen and D. Boland. 2004. Spatial and temporal segregation among six species of coexisting *Ophiogomphus* (Odonata: Gomphidae) in the Aroostook River, Maine. *Northeastern Naturalist* 11(3): 295-312.

Gibbs, K.E., M. Siebenmann, M. McCollough, and A. Weik. 2001. Tomay mayfly assesement; draft. Maine Department of Inland Fisheries and Wildlife. 40 pp. + app.

- Gibbs, H.L., K.E. Gibbs, M. Siebenmann, and L. Collins. 1998. Genetic differentiation among populations of the rare mayfly *Siphonisca aerodromia* Needham. *Journal of the North American Benthological Society* 17(4): 464-474.
- Greene, C.W., C.B. Hellquist, and L.Gregory, Linda. 1997. Survey of freshwater aquatic vegetation of Acadia National Park. National Park Service, College of the Atlantic. Bar Harbor, Maine. 76 pp.
- Grossman, D.H., D. Faber-Langendoen, A.W. Weakley, M. Anderson, P. Bourgeron, R. Crawford, K. Goodin, S. Landaal, K. Metzler, K.D. Patterson, M. Pyne, M. Reid, and L. Sneddon. 1998. International Classification of Ecological Communities: Terrestrial Vegetation of the United States. Volume 1. The Nature Conservancy, Arlington, VA.
- Guerry, A.D. and M.L. Hunter. 2002. Amphibian distributions in a landscape of forests and agriculture: an examination of landscape composition and configuration. *Conservation Biology* 16: 745-754.
- Hagan, J.M. 2000. Do forested buffer strips protect headwater stream temperature in western Maine? MOSAIC Science Notes #2002-2, Manomet Center for Conservation Sciences. 4 pp.
- Haines, A. and T.F. Vining. 1998. Flora of Maine. V.F. Thomas Co., Bar Harbor, Maine. 847 pp.
- Haines, T.A. 1987. Atlantic salmon resources in the northeastern United States and the potential effects of acidification from atmospheric deposition. *Water, Air and Soil Pollution* 35: 37-48.
- Haines, T.A. and J.P. Baker. 1986. Evidence of fish population responses to acidification in the eastern United States. *Water, Air and Soil Pollution* 31: 605-629.
- Halliwell, D. 2005. Introduced fish in Maine. On-line article: [www.pearl.maine.edu](http://www.pearl.maine.edu); accessed March 2005.
- Halliwell, D.B., R.W. Langdon, R.A. Daniels, J.P. Kurtenbach, and R.A. Jacobson. 1999. Classification of freshwater fish species of the Northeastern United States for use in the development of indices of biological integrity, with regional applications. Pages 301-337 in : T.P. Simon (ed.). *Assessing the Sustainability and Biological Integrity of Water Resources Using Fish Communities*. CRC Press.
- Halliwell, D.B., T.R. Whittier and N.H. Ringler. 2001. Distributions of lake fishes of the northeast USA – III. Salmonidae and associated coldwater species. *Northeastern Naturalist* 8(2): 189-206.
- Hanlon, S.D. and D.G. Smith. 1999. An attempt to detect *Pyganodon fragilis* (Mollusca: Unionidae) in Maine. *Northeastern Naturalist* 6(2): 119-132.
- Hanson, M.A. and M.R. Riggs. 1995. Potential effects of fish predation on wetland invertebrates: a comparison of wetlands with and without fathead minnows. *Wetlands* 15: 167-175.
- Harding, J.S., E.F. Benfield, P.V. Bolstad, G.S. Helfman and E.B.D. Jones. 1998. Stream biodiversity: the ghost of land use past. *Proceedings of the National Academy of Sciences* 95: 14843-14847.
- Havey, K. 1973. Production of juvenile alewives, *Alosa pseudoharengus*, at Love Lake, Washington County, Maine. *Transactions of the American Fisheries Society* 102: 434-437.
- Hawkins, C.P., R.H. Norris, J.N. Hogue and J.W. Feminella. 2000. Development and evaluation of predictive models for measuring the biological integrity of stream. *Ecological Applications*.

- Herke, Scott W. 1988. Natural hybridization and biology of northern pike (*Esox lucius*) and chain pickerel (*E. niger*) in the Belgrade Lakes of Maine. M.S. thesis. University of Maine, Orono. 98 pp.
- Hines, Richard. 1981. The ecological significance of a stunted white perch population in an eutrophic Maine pond. M.S. thesis, University of Maine, Orono. 45 pp.
- Hocutt, C.H. and E.O. Wiley (eds.). 1986. The Zoogeography of North American Freshwater Fishes. John Wiley & Sons. 866 pp.
- Hoeh, W.R. 1990. Phylogenetic relationships among eastern North American *Anodonta* (Bivalvia: Unionidae). *Malacological Review* 23: 63-82.
- Hoeh, W.R. and J.B. Burch. 1989. The taxonomic status of *Anodonta lacustris* Lea. *Walkerana* 3: 263-276. (Cited in Nedeau et al. 2000.)
- Hulse, A.C., C.J. McCoy and E. Censky. 2001. Amphibians and reptiles of Pennsylvania and the Northeast. Comstock Publishing Associates, Cornell University Press, Ithaca NY. 419 pp.
- Hunter, M.L., A.J.K. Calhoun, and M. McCollough (eds.). 1999. Maine Amphibians and Reptiles. The University of Maine Press, Orono, Maine. 252 pp.
- Hunter, M.L., J.J. Jones, K.E. Gibbs, J.R. Moring and M. Brett. 1985. Interactions among waterfowl, fishes, invertebrates, and macrophytes in four Maine lakes of different acidity. U.S. EPA Biological Report 80(40.20).
- Huryn, A.D. and D.P. Chivers. 1999. Contrasting behavioral responses by detritivorous and predatory mayflies to chemicals released by injured conspecifics and their predators. *Journal of Chemical Ecology* 25(12): 2729-2740.
- Huryn, A.D. and S.C. Harris. 2000. High species richness of caddisflies (Trichoptera) from a riparian wetland in Maine. *Northeastern Naturalist* 7: 189-204.
- Huryn, A.D., V.M. Butz Huryn, C.J. Arbuckle and L. Tsomides. 2002. Catchment land-use, macroinvertebrates and detritus processing in headwater streams: taxonomic richness versus function. *Freshwater Biology* 47: 401-415.
- IUP. 2005. Freshwater jellyfish. Indiana University of Pennsylvania, Department of Biology website. Accessed March 2005. <http://www.jellyfish.iup.edu>.
- Jiffry, F. 1984. Loss of freshwater shellfish and some ecological impacts after water drawdown in Lake Sebasticook, Maine. M.S. thesis. University of Maine, Orono. 85 pp.
- Johson, K. and J.S. Kahl. 2005. A systematic survey of water chemistry for Downeast area rivers. Project final report to Maine Atlantic Salmon Commission. On-line version available at: [www.umaine.edu/waterresearch/](http://www.umaine.edu/waterresearch/)
- Johnson, R.H. 1939. Life history and management studies of raccoons in Maine. M.S. thesis. University of Maine, Orono. 70 pp. (Cited by Reid and Scott 1996.)
- Johnson, R.I. 1970. The systematics and zoogeography of the Unionidae (Mollusca: Bivalvia) of the southern Atlantic Slope region. *Bulletin of the Museum of Comparative Zoology* 140(6): 263-450.

- Kahl, J.S. and K. Johnson. 2003. Salmon risk factors in Downeast Maine rivers: a pilot evaluation of status and trends in water chemistry. Progress report to Maine Atlantic Salmon Commission. Senator George J. Mitchell Center for Environmental and Watershed Research, University of Maine, Orono. 11 pp.
- Kahl, J.S. and K. Johnson. 2004. Streamwater chemistry and recovery of Maine Atlantic salmon. Water Quality Fact Sheet, Senator George J. Mitchell Center for Environmental and Watershed Research, University of Maine, Orono. 7 pp.
- Kahl, J.S. and M. Scott. 1988. The aquatic chemistry of Maine's high elevation lakes: results from the HELM project. *Lake and Reservoir Management* 4: 33-40.
- Kahl, J.S., S.A. Norton, C.S. Cronan, I.J. Fernandez, L.C. Bacon and T.A. Haines. 1991. Maine. Pages 203-235 in: D. Charles (ed.). *Acidic deposition and aquatic ecosystems: Regional case studies*. Springer-Verlag, NY.
- Kelly, M.W. 2004. Conservation genetics of two rare freshwater mussel species: The tidewater mucket (*Leptodea ochracea*) and the yellow lampmussel (*Lampsilis cariosa*). MS thesis, University of Maine, Orono.
- Kelly, M.W. and J. Rhymer. 2005. Population genetic structure of a rare unionid (*Lampsilis cariosa*) in a recently glaciated landscape. *Conservation Genetics*, in press.
- Kendall, W.C. 1918. The Rangeley Lakes, Maine: with special reference to the habits of the fishes, fish culture, and angling. *Bulletin of the U.S. Bureau of Fisheries*, Vol. XXXV (1915-16), Document No. 861: 489-602.
- Keys, J.E., C.A. Carpenter, S.L. Hook, F.G. Koenig, W.H. McNab, W.E. Russell and M-L. Smith. 1995. Ecological units of the eastern United States: first approximation. USDA Forest Service, Atlanta, GA.
- Kircheis, F.W. 1994. Update on freshwater fish species reproducing in Maine. *Maine Naturalist* 2(1): 25-28.
- Kircheis, F.W., J.G. Trial, D.P. Boucher, B. Mower, T. Squiers, N. Gray, M. O'Donnell and J. Stahlnecker. 2002. Analysis of impacts related to the introduction of anadromous alewives into a small freshwater lake in central Maine, USA. Interagency Report Series No. 02-1, Maine Dept. of Marine Resources, Maine Dept. of Environmental Protection, and Maine Dept. of Inland Fisheries and Wildlife. 53 pp.
- Klemm, D.J. 1990. Hirudinea. Pages 398-415 in: B.L. Peckarsky, P.R. Fraissinet, M.A. Penton, and D.J. Conklin. *Freshwater Macroinvertebrates of Northeastern North America*. Cornell University Press, Ithaca NY. 442 pp.
- Kramar, D., W. Goodale, L. Kennedy, L. Carstensen and T. Kaur. 2005. Relating land cover and mercury levels in common loons using geographic information system. *Ecotoxicology* 14.
- Krohn, W.B., R.B. Boone, and S.L. Painton. 1999. Quantitative delineation and characterization of hierarchical biophysical regions of Maine. *Northeastern Naturalist* 6(2): 139-164.
- Krohn, W.B., R.B. Boone, S.A. Sader, J.A. Hepinstall, S.M. Schaefer, and S.L. Painton. 1998. Maine GAP analysis: a geographic analysis of biodiversity. Final Report. Maine Cooperative Fish and Wildlife Research Unit, University of Maine, Orono. 123 pp. + appendices.

- Lackey, R.T. 1968. Seasonal abundance and availability of forage fishes and their utilization by landlocked Atlantic salmon and brook trout in Echo Lake, Mount Desert Island, Maine. M.S. thesis. University of Maine, Orono. 98 pp.
- LaFontaine, G. 1981. Caddisflies. Winchester Press, New York.
- Lammert, M. and J.D. Allan. 1999. Assessing biotic integrity of streams: effects of scale in measuring the influence of land use/cover and habitat structure on fish and macroinvertebrates. *Environmental Management* 23(2): 257-270.
- Lammert, M., J. Higgins, D. Grossman, and M Bryer. 1996. A classification framework for freshwater communities. The Nature Conservancy, Arlington VA. 16 pp.
- Lamontagne, S. and D.W. Schindler. 1994. Historical status of fish populations in Canadian Rocky Mountain lakes inferred from subfossil *Chaoborus* (Diptera: Chaoboridae) mandibles. *Canadian Journal of Fisheries and Aquatic Sciences* 51: 1376-1383.
- Langdon, R., J. Andrews, K. Cox, S. Fiske, N. Kamman, and S. Warren. 1998. A classification of the aquatic communities of Vermont. The Nature Conservancy and the Vermont Biodiversity Group. 49 pp.
- Leaman, N.G.G. 1999. Mercury contamination in the silver stage of American eels, *Anguilla rostrata*, from three rivers in Maine. M.S. thesis. University of Maine, Orono. 37 pp.
- Lisle, L. 1994. Beaver re-colonization in south-central Maine. M.S. thesis, University of Maine, Orono.
- Little, M.J. 1995. A report on the historic spawning grounds of the striped bass, "*Morone saxatilis*". *Maine Naturalist* 3(2): 107-113.
- Loftin, C.S., M.S. Bank, J.M. Hagan and D. Siegel. 2000. Literature synthesis of the effects of forest management activities on riparian and in-stream biota of New England. Maine Cooperative Forestry Research Unit, University of Maine, Orono. 118 pp.
- Lu, G. and L. Bernatchez. 1999. A study of fluctuating asymmetry in hybrids of dwarf and normal lake whitefish ecotypes (*Coregonus clupeaformis*) from different glacial races. *Heredity* 83: 742-747.
- LWRC. 2004. Compendium of Maine hydropower and river restoration policies. Draft report, Maine State Planning Office.
- LWRC. 2004. Exploring river restoration approaches and needs in Maine. Report by the Land and Water Resources Council to Governor John E. Baldacci. 34 pp.
- Mack, R.G. 1988. A survey of the mayflies (Ephemeroptera) of Acadia National Park, Mount Desert Island, Maine. M.S. thesis, University of Maine, Orono. 102 pp.
- Mack, R.G. and K.E. Gibbs. 1988. The mayflies of Acadia National Park, Mount Desert Island, Maine, USA. Pages 277-287 in: J. Alba-Tercedor and A. Sanchez-Ortega (eds.) Overview and strategies of Ephemeroptera and Plecoptera. The Sandhill Crane Press, Gainesville, Florida. 588 pp.
- Mack, R.G. and K.E. Gibbs. 1989. The mayflies (Ephemeroptera) of Acadia National Park. Final Report to National Park Service. 101 pp.

- Magee, D.W. and H.E. Ahles. 1999. *Flora of the Northeast: A Manual of the Vascular Flora of New England and Adjacent New York*. University of Massachusetts Press. 1213 pp.
- Magee, J.A. 1999. Effect of acid and aluminum on the physiology and migratory behavior of Atlantic salmon smolts in Maine. M.S. thesis. University of Maine, Orono.
- Mairs, Donald F. 1957. A study of the aquatic insects of a Maine farm pond. M.S. thesis. University of Maine. Orono. 51 pp.
- Malcolm, S.E. 1971. The water beetles of Maine: including the families Gyrinidae, Haliplidae, Dytiscidae, Noteridae, and Hydrophilidae. University of Maine Agriculture Experiment Station. Orono. 49 pp.
- Mallory, M.L., P.J. Blancher, P.J. Weatherhead, and D.K. McNicol. 1994. Presence or absence of fish as a cue to macroinvertebrate abundance in boreal wetlands. *Hydrobiologia* 279/280: 345-351.
- Manville, R.H. 1939. Notes on the herpetology of Mount Desert Island, Maine. *Copeia* 3: 174.
- Martin, S.M. 1997a. Crayfishes (Crustacea: Decapoda) of Maine. *Northeastern Naturalist* 4(3): 165-188.
- Martin, S.M. 1997b. Freshwater mussels (Bivalvia: Unionoida) of Maine. *Northeastern Naturalist* 4(1): 1-34.
- Martin, S.M. 1998. Freshwater fingernail and pea clams (Bivalvia: Veneroida: Sphaeriidae) of Maine. *Northeastern Naturalist* 5(1): 29-60.
- Martin, S.M. 1999. Freshwater snails (Mollusca: Gastropoda) of Maine. *Northeastern Naturalist* 6(1): 39-88.
- Matthews, W.J. 1998. *Patterns in Freshwater Fish Ecology*. Chapman & Hall. 756 pp.
- McCall, T.C., T.P. Hodgman, D.R. Diefenbach and R.B. Owen. 1996. Beaver populations and their relation to wetland habitat and breeding waterfowl in Maine. *Wetlands* 16: 163-172.
- McCollough, M., C. Todd, B. Swartz, P. DeMaynadier, and H. Givens. 2003. *Maine's Endangered and Threatened Wildlife*. Maine Department of Inland Fisheries and Wildlife, Augusta, Maine. 117 pp.
- McCullough, R.D. 1978. Food niche dimensions of larval rainbow smelt (*Osmerus mordax*). M.S. thesis. University of Maine, Orono.
- McCune, B. and J.B. Grace. 2002. *Analysis of Ecological Communities*. MjM Software Design, Gleneden Beach, Oregon. 300 pp.
- McCune, B. and M.J. Mefford. 1999. *PC-ORD. Multivariate Analysis of Ecological Data, Version 4*. MjM Software Design, Gleneden Beach, Oregon, USA.
- McDaniel, I.N. 1975. A list of Maine mosquitoes including notes on their importance as pests of man. *Mosquito News* 35(208): 232-233.
- McMahon, J.S. 1990. The biophysical regions of Maine: patterns in the landscape and vegetation. M.S. thesis, University of Maine, Orono. 119 pp.

- McPeck, M.A. 1998. The consequences of changing the top predator in a food web: a comparative experimental approach. *Ecological Monographs* 68: 1-23.
- MDEP. 2004. 2004 integrated water quality monitoring and assessment report. Maine Department of Environmental Protection, Augusta. Document # DEPLW0665. 243 pp. + app.
- MDIFW. 2002. Fishes of Maine. Maine Department of Inland Fisheries and Wildlife, Augusta, Maine. 38 pp.
- MDOC. 1982. Maine rivers study. Final report. Maine Department of Conservation and U.S. Dept. of the Interior, National Park Service. 181 pp.
- Meister, A.L. 1982. The Sheepscot River. Atlantic Sea Run Salmon Commission. Bangor, Maine. 45 pp.
- Mingo, T.M. 1978. The macroinvertebrate fauna of a Maine salmon river subjected to long-term multiple pesticide contamination. M.S. thesis. University of Maine, Orono. 151 pp.
- Mingo, T.M. 1979. Distribution of aquatic Dryopoidea (Coleoptera) in Maine. *Entomological News* 90(4): 177-185.
- Mingo, T.M. 1983. An annotated checklist of the stoneflies (Plecoptera) of Maine. *Entomological News* 212: 65-72.
- Mingo, Terry M. and K.E. Gibbs, K. 1980. The aquatic insects of the Narraguagus river, Hancock and Washington counties, Maine. Technical Bulletin 100. Life Sciences and Agriculture Experiment Station, University of Maine, Orono. 63 pp.
- Mingo, Terry M., D.L. Courtemanch, and K.E. Gibbs. 1979. The aquatic insects of the St. John river drainage, Aroostook county, Maine. Technical Bulletin 92. Life Sciences and Agriculture Experiment Station, University of Maine, Orono. 22 pp.
- Moring, J.R. and K. Finlayson. 1996. Relationships between land use activities and Atlantic salmon (*Salmo salar*) habitat: a literature review. Final report to The National Council of the Paper Industry for Air and Stream Improvement, Inc. Maine Cooperative Fish and Wildlife Research Unit, University of Maine, Orono. 45 pp.
- Moring, J.R. and G.C. Garman. 1986. The value of riparian zones for fisheries. Maine Agricultural Experiment Station, Misc. Publication 689: 81-90.
- Moring, J.R., B.C. Le and J. Stone. 2001. Fish resources of Acadia National Park, Mount Desert Island, Maine. Final report to the National Park Service, Acadia National Park. 91 pp. + app.
- Morse, C.C. 2001. The response of first and second order streams to urban land-use in Maine, U.S.A. MS thesis, University of Maine, Orono. 97 pp.
- Morse, C.C., A.D. Huryn and C. Cronan. 2003. Impervious surface area as a predictor of the effects of urbanization on stream insect communities in Maine, U.S.A. *Environmental Monitoring and Assessment* 89(1): 95-127.
- Mower, B. 1978. Utilization of juvenile alewives to control a lake water quality problem. Maine Dept. of Environmental Protection, Augusta, Maine. 98 pp.
- Moyle, P.B. and J.J. Cech. 2000. *Fishes: An Introduction to Ichthyology*. Fourth edition. Prentice-Hall. 612 pp.

- Nedeau, E.J., M.A. McCollough and B.I. Swartz. 2000. The Freshwater Mussels of Maine. Maine Department of Inland Fisheries and Wildlife, Augusta, Maine. 118 pp.
- NMFS. 1998. Final recovery plan for the Shortnose Sturgeon, *Acipenser brevirostrum*. National Marine Fisheries Service, Silver Spring, MD. 104 pp.
- NMFS & USFWS. 2004. Draft recovery plan for the Gulf of Maine distinct population segment of the Atlantic salmon (*Salmo salar*). National Marine Fisheries Service, Silver Spring, MD, and U.S. Fish and Wildlife Service, Northeast Region, Hadley, MA. 239 pp.
- Noel, D.S., C.W. Martin, and C.A. Federer. 1986. Effects of clearcutting in New England on stream macroinvertebrates and periphyton. *Environmental Management* 10(5): 661-670.
- NRC. 2002. Genetic status of Atlantic salmon in Maine. Interim report of the Committee on Atlantic Salmon in Maine, National Research Council, Washington D.C.
- O'Connor, R.J., T.E. Walls, and R.M. Hughes. 2000. Using multiple taxonomic groups to index the ecological condition of lakes. *Environmental Monitoring and Assessment* 61: 207-228.
- Olivero, A. and D. Bechtel. 2005. Watershed scale aquatic ecological system stratification for New Hampshire's streams and lakes. The Nature Conservancy, Boston. 143 pp. + app.
- Omernik, J.M. 2003. The misuse of hydrologic unit maps for extrapolation, reporting, and ecosystem management. *Journal of the American Water Resources Association* 39: 563-573.
- Omernik, J.M. and R.G. Bailey. 1997. Distinguishing between watersheds and ecoregions. *Journal of the American Water Resources Association* 33(5): 935-949.
- Osborne, L.L. and M.J. Wiley. 1992. Influence of tributary spatial position on the structure of warmwater fish communities. *Canadian Journal of Fisheries and Aquatic Sciences* 49: 671-681.
- Page, L.M. and B.M. Burr. 1991. A Field Guide to Freshwater Fishes. Houghton Mifflin Co., Boston. 432 pp.
- Palmer, M.W. 1990. The estimation of species richness by extrapolation. *Ecology* 71: 1195-1198.
- Pechuman, L.L. and R. Dearborn. 1996. The Horse Flies and Deer Flies of Maine (Diptera, Tabanidae). Maine Agriculture and Forest Experiment Station Technical Bulletin 160. 24 pp.
- Peckenham, J.M., J.S. Kahl and B. Mower. 2003. Background mercury concentrations in river water in Maine, USA. *Environmental Monitoring and Assessment* 89: 129-152.
- Peckarsky, B.L., P.R. Fraissinet, M.A. Penton, and D.J. Conklin. 1990. Freshwater Macroinvertebrates of Northeastern North America. Cornell University Press, Ithaca NY. 442 pp.
- Pennuto, C.M., O.P. Lane, D.C. Evers, R.J. Taylor and J. Loukmas. 2005. Mercury in the Northern crayfish, *Orconectes virilis* (Hagen) in New England, U.S.A. *Ecotoxicology* 14: 149-162.
- Post, J.R. and D. Cucin. 1984. Changes in the benthic community of a small Precambrian lake following the introduction of yellow perch, *Perca flavescens*. *Canadian Journal of Fisheries and Aquatic Sciences* 41: 1496-1501.
- Powell, M.W. 1997. Modeling the effects of watershed acidification on the speciation and bioaccumulation of mercury in brook trout (*Salvelinus fontinalis*) at the Bear Brook watersheds, Maine, USA. M.S. thesis. University of Maine, Orono.

- Procter, W. 1938. Biological survey of the Mount Desert region, Insecta. Wistar Institute of Anatomy and Biology, Philadelphia. 496 pp.
- Procter, W. 1946. Biological survey of the Mount Desert region. Part VII. The insect fauna.
- Rabeni, C.F. 1977. Benthic macroinvertebrate communities of the Penobscot River, Maine, with special reference to their role as water quality indicators. Ph.D. thesis. University of Maine., Orono, Maine. 169 pp.
- Rabeni, C.F., S.P. Davies, and K.E. Gibbs. 1985. Benthic invertebrate response to pollution abatement: structural changes and functional implications. *Water Resources Bulletin* 21: 489-497.
- Reid, W.F., Jr. 1970. The crayfishes of the Union River drainage, Maine, and their utilization as forage by some warmwater fishes. M.S. thesis. University of Maine. Orono. 91 pp.
- Reid, W.F., Jr. 1971. Utilization of the crayfish *Orconectes limosus* as forage by white perch (*Morone americana*) in a Maine lake. *Transactions of the American Fisheries Society* 101: 608-612.
- Reid, W.F., Jr. 1977. The crayfish *Cambarus bartonii bartonii* (Fabricius) and *Orconectes virilis* (Hagen) in DDT treated and untreated ecosystems of northern Maine. Ph.D. thesis. University of Maine. Orono. 107 pp.
- Reid, W.F. and M.Scott. 1996. The crayfishes of Maine and their distribution. In: Gawler, S.C., J.J. Albright, P.D. Vickery and F.C. Smith. 1996. *Biological Diversity in Maine*. Volume 2: Appendices.
- Rosenzweig, M.L., W.R. Turner, J.G. Cox, and T.H. Ricketts. 2003. Estimating diversity in unsampled habitats of a biogeographical province. *Conservation Biology* 17(3): 864-874.
- Rosgen, D. 1996. *Applied River Morphology*. Wildland Hydrology, Minneapolis.
- Rupp, R.S. 1954. Beaver-trout relationship in the headwaters of Sunkhaze Stream, Maine. *Transactions of the American Fisheries Society* 84: 75-85.
- Rupp, R.S. 1959. Variation in the life history of the American smelt in inland waters of Maine. *Transactions of the American Fisheries Society* 88: 241-252.
- Saether, O.A. 1979. Chironomid communities as water quality indicators. *Holarctic Ecology* 2: 65-74.
- Schilling, E. In press. First record of the central mudminnow (*Umbra limi*) in Maine. *Northeastern Naturalist*.
- Schmitt, R.E. 1986. Zoogeography of the Northern Appalachians. Pages 137-159 in: C.H. Hocutt and E.O. Wiley (eds.). 1986. *The Zoogeography of North American Freshwater Fishes*. John Wiley & Sons. 866 pp.
- Scott, J.M., F. Davis, B. Csuti, R. Noss, B. Butterfield, C. Groves, H. Anderson, S. Caicco, F.D. Erchia, T.C. Edwards, J. Ulliman, and R.G. Wright. 1993. Gap analysis: a geographic approach to protection of biological diversity. *Wildlife Monographs* 123: 1-41.
- Scott, M. 1963. Fresh-water jellyfish in Maine. *Maine Fish and Game*, Spring 1963. On-line version: <http://www.state.me.us/dep/blwq/doclake/jelly.htm>

- Scott, M. 1965. The Bryozoa. Maine Fish and Game, Fall 1965. 18-19.
- Shelton, A.D. and K.A. Blocksom. 2004. A review of Biological Assessment Tools and Biocriteria in New England States. EPA/600/R-04/168. U.S. Environmental Protection Agency, Cincinnati, Ohio.
- Siebenmann, M. 1995. Macroinvertebrates of the Narraguagus river as long-term indicators of the water quality and as a food base for juvenile Atlantic salmon. M.S. thesis. University of Maine, Orono. 110 pp.
- Siebenmann, M. and K.E. Gibbs. 1994. Macroinvertebrates of the Narraguagus river as long-term indicators of water quality. University of Maine. Orono. 25 pp.
- Smith, D.G. 1989. Keys to the freshwater macroinvertebrates of Massachusetts. No. 4: Benthic colonial phyla, including the Cnidaria, Entoprocta, and Ectoprocta (colonial hydrozoans, moss animals). Massachusetts Division of Water Pollution Control, Westborough, Mass. Cited in Wood 1991.
- Smith, I.M. and D.R. Cook. 1991. Water mites. Pages 523-593 In: Thorp, J.H. and A.P. Covich (eds.). Ecology and Classification of North American Freshwater Invertebrates. Academic Press, Inc. 911 pp.
- Smith, T.R. 1991. Response of brook trout (*Salvelinus fontinalis*) and Atlantic salmon (*Salmo salar*) exposed to low pH with and without aluminum. M.S. thesis. University of Maine, Orono.
- Snoddy, E.L. and L.S. Bauer. 1978. *Simulium* (*Phosterodoros*) *penobscotensis*, a new species of black fly (Diptera: Simuliidae) from Maine, USA. Journal of Medical Entomology 5: 579-581
- Soberon, J. and J. Llorente. 1993. The use of species accumulation functions for the prediction of species richness. Conservation Biology 7: 480-488.
- Sorranno, P.A., K.E. Webster, J.L. Riera, T.K. Kratz, J.S. Baron, P.A. Bukaveckas, G.W. Kling, D.S. White, N. Caine, R.C. Lathrop and P.R. Leavitt. 1999. Spatial variation among lakes within landscapes: ecological organization along lake chains. Ecosystems 2: 395-410.
- Stafford, C.P. and T.A. Haines. 1997. Mercury concentrations in Maine sport fishes. Transactions of the American Fisheries Society 126: 144-152.
- Stark, Bill. 1998. North American stonefly list. On-line database: [www.mc.edu/campus/users/stark/stonefly.html](http://www.mc.edu/campus/users/stark/stonefly.html). Last updated 10/1998. Accessed 9/2004.
- Stein, B.A., L.S. Kutner, and J.A. Adams (eds.). 2000. Precious Heritage: The Status of Biodiversity in the United States. Oxford University Press. 399 pp.
- Stoddard, J., J.S. Kahl, F. Deviney, D. DeWalle, C. Driscoll, A. Herlihy, J. Kellogg, P. Murdoch, J. Webb, and K. Webster. 2003. Response of surface water chemistry to the Clean Air Act Amendments of 1990. EPA/620/R-03/001. U.S. Environmental Protection Agency, Washington D.C. 78 pp.
- Stone, J., B.C. Le, and J.R. Moring. 2001. Freshwater fishes of Acadia National Park, Mount Desert Island, Maine. Northeastern Naturalist 8(3): 311-318.
- Swartz, B.I., P.C. Wick, S.K. Burian, and A.D. Huryn. 2004. Status of the endangered "Roaring Brook mayfly". Final report to the Maine Outdoor Heritage Fund Board and Baxter State Park. Maine Department of Inland Fisheries and Wildlife. 19 pp.

- Taylor, E.B. 1999. Species pairs of north temperate freshwater fishes: evolution, taxonomy, and conservation. *Reviews in Fish Biology and Fisheries* 9: 299-324.
- Taylor, E.B. and P. Bentzen. 1993. Evidence for multiple origins and sympatric divergence of trophic ecotypes of smelt (*Osmerus*) in northeastern North America. *Evolution*: 813-832.
- Thorp, J.H. and A.P. Covich (eds.). 1991. *Ecology and Classification of North American Freshwater Invertebrates*. Academic Press, Inc. 911 pp.
- Tiner, R.W. 1984. *Wetlands of the United States: current status and recent trends*. U.S. Fish and Wildlife Service. National Wetlands Inventory, Newton MA. 59 pp.
- Tiner, R., R. Lichvar, R. Franzen, C. Rhodes and W. Sipple. 1995. 1995 supplement to the list of plant species that occur in wetlands: Northeast (Region 1). Supplement to Biological Report 88(26.1), May 1988. U.S. Fish and Wildlife Service. 18 pp.
- Trotzky, H. 1971. The effects of water flow manipulation by a hydroelectric power dam on the bottom fauna and rainbow trout sport fishery of the Upper Kennebec River, Maine. M.S. thesis. University of Maine, Orono. 72 pp.
- Turgeon, D.D., A.E. Bogan, E.V. Coan, W.K. Emerson, W.G. Lyons, W.L. Pratt, C.F.E. Roper, A. Scheltema, F.G. Thompson, and J.D. Williams. 1998. *Common and scientific names of aquatic invertebrates from the United States and Canada: mollusks*. Second Edition. American Fisheries Society Special Publication 26, Bethesda, MD. 526 pp.
- UMIC. 1983. University of Maine insect collection. Online holdings, updated 1983. <http://www.umesci.maine.edu/biology/entomology/holdings.htm>.
- UNH 2004. University of New Hampshire Insect and Arachnid Collection. On-line database, last accessed 5/2004. <http://colsa1.unh.edu:591/unhinsects.htm>
- USASC. 2002. Annual report of the U.S. Atlantic salmon assessment committee. Report No. 14-2001 Activities. U.S. Atlantic Salmon Assessment Committee. 69 pp. + app.
- U.S. Commission of Fish and Fisheries. 1884. Report of the Commissioner for 1882. Part X: xxiv. (Cited by Moring et al. 2001.)
- USGS. 2005. Stoneflies of Maine. On-line species checklist, last accessed 3/2005. <http://www.npwrc.usgs.gov/resource/distr/insects/sfly/me/toc.htm>.
- Vander Zanden, M.J., J.D. Olden, J.H. Thorne, and N.E. Mandrak. 2004. Predicting occurrences and impacts of smallmouth bass introductions in north temperate lakes. *Ecological Applications* 14(1): 132-148.
- Walton, C.J. 1983. Growth parameters for typical anadromous and dwarf stocks of alewives, *Alosa pseudoharengus* (Pisces, Clupeidae). *Environmental Biology of Fishes* 9: 277-287.
- Walton, C.J. 1987. Parent-progeny relationship for an established population of anadromous alewives in a Maine lake. In: M.J. Dadswell et al. (eds.). *Common Strategies of Anadromous and Catadromous Fishes*. American Fisheries Society Symposium 1: 451-454.
- Warner, K. and K.A. Havey. 1985. *Life History, Ecology and Management of Maine Landlocked Salmon (Salmo salar)*. Maine Department of Inland Fisheries and Wildlife, Augusta, Maine. 127 pp.

- Waters, L.H. 1968. Bionomics of black flies in Maine. M.S. thesis. University of Maine. Orono, Maine. 91 pp.
- Webber, H.M. 1998. Effects of methylmercury on the predator avoidance behavior of a freshwater forage fish, golden shiner (*Notemigonus crysoleucas*). M.S. thesis. University of Maine, Orono. 63 pp.
- White, H.B. 1969. Two species of Odonata previously unreported from New England. *Entomological News* 80(4): 88.
- White, H.B. 1974. *Aeshna subartica* Walker and other Odonata new for Maine. *Entomological News* 85(9, 10): 289-291.
- White, H.B. 1989. Dragonflies and damselflies (Odonata) of Acadia National Park and vicinity, Maine. *Entomological News* 100(3): 89-103.
- Whittier, T.R. and R.M. Hughes. 1998. Evaluation of fish species tolerances to environmental stressors in Northeast USA lakes. *North American Journal of Fisheries Management* 18: 236-252.
- Whittier, T.R. and T.M. Kincaid. 1999. Introduced fish in Northeast USA lakes: regional extent, dominance, and effect on native species richness. *Transactions of the American Fisheries Society* 128: 769-783.
- Whittier, T.R., D.B. Halliwell and R.A. Daniels. 1999. Distributions of lake fishes in the Northeast – I: Centrarchidae, Percidae, Esocidae, and Moronidae. *Northeastern Naturalist* 6(4): 283-304.
- Whittier, T.R., D.B. Halliwell and R.A. Daniels. 2000. Distributions of lake fishes in the Northeast – II. The minnows (Cyprinidae). *Northeastern Naturalist* 7(2): 131-156.
- Whittier, T.R., D.B. Halliwell and R.A. Daniels. 2001. Distributions of lake fishes in the Northeast – IV: Benthic and small water-column species. *Northeastern Naturalist* 8(4): 455-482.
- Whittier, T.R., D.B. Halliwell and S.G. Paulsen. 1997. Cyprinid distribution in Northeast USA lakes: evidence of regional-scale minnow biodiversity losses. *Canadian Journal of Fisheries and Aquatic Sciences* 54: 1593-1607.
- Whittier, T.R., A.T. Herlihy, and S.M. Pierson. 1995. Regional susceptibility of northeast lakes to zebra mussel invasion. *Fisheries* 20(6): 20-25.
- Whittier, T.R., D.P. Larsen, S.A. Peterson and T.M. Kincaid. 2002. A comparison of impoundments and natural drainage lakes in the Northeast USA. *Hydrobiologia* 470: 157-171.
- Widoff, Lissa. 1988. Maine wetlands conservation priority plan: an addendum to the state comprehensive outdoor recreation plan. Maine Bureau of Parks and Recreation and Maine State Planning Office. 117 pp.
- Wiggins, G.B. 1995. Larvae of the North American caddisfly genera (Trichoptera). Second edition. University of Toronto Press.
- Wiley, M.J., S.L. Kohler and P.W. Seelbach. 1997. Reconciling landscape and local views of aquatic communities: lessons from Michigan trout streams. *Freshwater Biology* 37: 133-148.
- Williams, J.D., M.L. Warren, K.S. Cummings, J.L. Harris, and R.J. Neves. 1992. Conservation status of freshwater mussels of the United States and Canada. *Fisheries* 18(9): 6-22.

Williamson, W.D. 1832. The History of the State of Maine, from its first discovery, A.D. 1602, to the Separation, A.D. 1820. Fishes: Vol. 1. pp. 150-164. Glazier, Masters and Co., Hallowell, Maine.

Wohnsiedler, T.H. 1965. Comparisons of yellow perch, *Perca flavescens*, in three Maine lakes. M.S. thesis. University of Maine, Orono.

Wolock, D.M., T.C. Winter and G. McMahon. 2005. Delineation and evaluation of hydrologic-landscape regions in the United States using geographic information system tools and multivariate statistical analyses. Environmental Management.

Wood, T.S. 1991. Bryozoans. Pages 481-499 in: Thorp, J.H. and A.P. Covich (eds.). Ecology and Classification of North American Freshwater Invertebrates. Academic Press, Inc. 911 pp.

Zimmer, K.D., M.A. Hanson, and M.G. Butler. 2000. Factors influencing invertebrate communities in prairie wetlands: a multivariate approach. Canadian Journal of Fisheries and Aquatic Sciences 57: 76-85.

## 9. Individuals Who Provided Information and Insights to MABP

Mark Anderson, TNC  
Barbara Arter, BSA Consulting  
Linda Bacon, MDEP  
Andrew Banner, USFWS  
Seth Barker, DMR  
Dave Baseley, MDIFW  
Ken Beland, ASC  
John Boland, MDIFW  
Forrest Bonney, MDIFW  
Roy Bouchard, MDEP  
Dave Boucher, MDIFW  
Peter Bourque, MDIFW  
Francis Brautigam, MDIFW  
Bob Breen, Acadia National Park  
Ron Brokaw, MDIFW  
Paul Brunelle  
Steve Burian, Southern Connecticut State Univ.  
Greg Burr, MDIFW  
Ron Butler  
Aram Calhoun, Univ. Maine  
Don Cameron, MNAP  
Chris Campbell, Univ. Maine  
Dave Courtemanch, MDEP  
Derrick Cote, MDIFW  
Andy Cutko, MNAP  
Tom Danielson, MDEP  
Laura Rose Day, Natural Resources Council of Maine  
Susan Davies, MDEP  
Ron Davis, Univ. Maine  
Phillip DeMaynadier, MDIFW  
Jeff Dennis, MDEP  
Ann Dieffenbacher-Krall, Univ. Maine  
Molly Docherty, MNAP  
Rich Dressler, MDIFW  
Dave Evers, Biodiversity Research Institute  
Merry Gallagher, MDIFW  
Susan Gallo, Maine Audubon  
Bill Gawley, Acadia National Park  
Clem Fay, Penobscot Indian Nation  
Frank Frost, MDIFW  
Sue Gawler, consultant  
Stuart Gelder, Univ. Maine  
Cassie Gibbs, Univ. Maine (ret.)  
David Kramar, Univ. Maine  
Terry Haines, USGS  
Dave Halliwell, MDEP  
Steve Harmon, MDEP  
Barre Hellquist  
Malcolm Hunter, Univ. Maine  
Alex Huryn, Univ. Maine / Univ. Alabama  
Kathy Jensen, TNC  
Paul Johnson, MDIFW  
Rick Jordan, MDIFW

Steve Kahl, Univ. Maine  
Steve Koenig, Project SHARE  
Bill Krohn, USGS / Univ. Maine  
Brandon Kulik, Kleinschmidt Assoc.  
Dan Kusniertz, Penobscot Indian Nation  
Cyndy Loftin, USGS / Univ. Maine  
Jim Lucas, MDIFW  
Greg Mackey, ASC  
David Manski, Acadia National Park  
Mark McCollough, USFWS  
Dennis McNeish, MDIFW  
John McPhedran, MDEP  
Scott Martin  
Larry Miller, USFWS  
John Moring, Univ. Maine  
Dana Murch, MDEP  
Tim Obrey, MDIFW  
Arlene Olivero, TNC  
Jim Pellerin, MDIFW  
Jeff Reardon, Trout Unlimited  
William Reid, MDOT (ret.)  
Judith Rhymer, Univ. Maine  
Scott Roy, MDIFW  
Josh Royte, TNC  
Gordon Russell, USFWS  
Emily Schilling, Univ. Maine  
Vicky Schmidt, MDEP  
Matt Scott  
Nancy Sferra, TNC  
Dwayne Shaw, Downeast Salmon Federation  
Torrey Sheafe, Project SHARE / Kleinschmidt Assoc.  
Mike Smith, MDIFW  
Hilary Snook, USEPA  
Jim Stahlnecker, MDIFW / MDEP  
Beth Swartz, MDIFW  
Joan Trial, ASC  
Leon Tsomides, MDEP  
Barbara Vickery, TNC  
Ken Warner, MDIFW  
Katherine Webster, Univ. Maine  
Chip Wick, MDIFW  
Keith Williams  
Bill Woodward, MDIFW

---

(Appendices begin as Chapter 11. There is no chapter 10).